

6. References

6.1 References of articles from systematic review

- Abbott, R.A. & Davies, P.S.W. (2004). Habitual Physical Activity and Physical Activity Intensity: Their Relation to Body Composition in 5.0-10.5-y-old Children. *European Journal of Clinical Nutrition*, 58, 285-291.
- Boreham, C.A., Twisk, J., Savage, M.J., Cran, G.W., & Strain, J.J. (1997). Physical Activity, Sports Participation, and Risk Factors in Adolescents. *Medicine and Science in Sport and Exercise*, 29(6), 788-793.
- Boreham, C., Twisk, J., Murray, L., Savage, M., Strain, J.J., & Cran, G. (2001). Fitness, Fatness, and Coronary Heart Disease Risk in Adolescents: The Northern Ireland Young Hearts Project. *Medicine and Science in Sport and Exercise*, 33(2), 270-274.
- Bouziotas, C. & Koutedakis, Y. (2003). A Three Year Study of Coronary Heart Disease Risk Factors in Greek Adolescents. *Pediatric Exercise Science*, 15, 9-18.

- Bouziotas, C., Koutedakis, Y., Nevill, A., Ageli, E., Tsigilis, N., Nikolaou, A., & Nakou, A. (2004). Greek Adolescents, Fitness, Fatness, Fat Intake, Activity, and Coronary Heart Disease Risk. *Archives of Disease in Childhood*, 89, 41-44.
- Burke, V., Milligan, R.A.K., Thompson, C., Taggart, A.C., Dunbar, D.L., Spencer, M.J., Medland, A., Gracey, M.P., Vandongen, R., & Beilin, L.J. (1998). A Controlled Trial of Health Promotion Programs in 11-year olds using Physical Activity “Enrichment” for Higher Risk Children. *Journal of Pediatrics*, 132, 840-848.
- Christodoulos, A.D., Flouris, A.D., & Tokmakidis, S.P. (2006). Obesity and Physical Fitness of Pre-adolescent Children during the Academic Year and the Summer Period: Effects of Organised Physical Activity. *Journal of Child Health Care*, 10(3), 199-212.
- Eiberg, S., Hasselstrom, H., Gronfeldt, V., Froberg, K., Cooper, A., & Andersen, L.B. (2005). Physical Fitness as a Predictor of Cardiovascular Disease Risk Factors in 6-to-7 year-old Danish Children: The Copenhagen School-child Intervention Study. *Pediatric Exercise Science*, 17, 161-170.
- Guerra, S., Duarte, J., & Mota, J. (2001). Physical Activity and Cardiovascular Disease Risk Factors in Schoolchildren. *European Physical Education Review*, 7(3), 269-281.

- Gutin, B., Yin, Z., Humphries, C., & Barbeau, P. (2005). Relations of Moderate and Vigorous Physical Activity to Fitness and Fatness in Adolescents. *The American Journal of Clinical Nutrition*, 81, 746-750.
- Hansen, H.S., Froberg, K., Hyldebrandt, N., & Nielsen, J.R. (1991). A Controlled Study of Eight Months of Physical Training and Reduction of Blood Pressure in Children: The Odense Schoolchild Study. *British Medical Journal*, 303, 682-685.
- Harrell, J.S., Gansky, S.A., McMurray, R.G., Bangdiwala, S.I., Fruaman, A.C., & Bradley, C.B. (1998). School-based Interventions Improve Heart Health in Children with Multiple Cardiovascular Disease Risk Factors. *Pediatrics*, 102, 371-380.
- Katzmarzyk, P.T., Malina, R.M., & Bouchard, C. (1999). Physical Activity, Physical Fitness, and Coronary Heart Disease Risk Factors in Youth: The Quebec Family Study. *Preventative Medicine*, 29, 555-562
- Owens, S., Gutin, B., Allison, J., Riggs, S., Ferguson, M., Litaker, M., & Thompson, W. (1999). Effect of Physical Training on Total and Visceral Fat in Obese Children. *Medicine and Science in Sport and Exercise*, 31(1), 143-148.
- Raitakan, O.T., Porkka, K.V.K., Taimela, S., Telama, R., Rasanen, L., & Viikan, S.A. (1994). Effects of Persistent Physical Activity and Inactivity on Coronary Risk

Factors in Children and Young Adults. *American Journal of Epidemiology*, 140(3), 195-205.

Raitakari, O.T., Taimela, S., Porkka, K.V.K., Telama, R., Valimaki, I., Akerblom, H.K., & Viikari, J.S.A. (1997). Associations between Physical Activity and Risk Factors for Coronary Heart Disease: The Cardiovascular Risk in Young Finns Study. *Medicine and Science in Sport and Exercise*, 29(8), 1055-1061.

Ribeiro, J.C., Guerra, S., Oliveira, J., Teixeira-Pinto, A., Twisk, J.W.R., Duarte, J.A., & Mota, J. (2004). Physical Activity and Biological Risk Factors Clustering in Pediatric Population. *Preventative Medicine*, 39, 596-601.

Rizzo, N.S., Ruiz, J.R., Hurtig-Wennlof, A., Ortega, F.B., & Sjostrom, M. (2007). Relationship of Physical Activity, Fitness and Fatness with Clustered Metabolic Risk in Children and Adolescents: The European Youth Heart Study. *Journal of Paediatrics*, 150, 388-394.

Ruiz, J.R., Rizzo, N.S., Hurtig-Wennlof, A., Ortega, F.B., Warnberg, J., & Sjostrom, M. (2006). Relations of Total Physical Activity and Intensity to Fitness and Fatness in Children: the European Youth Heart Study. *The American Journal of Clinical Nutrition*, 84, 299-303.

- Saakslahti, A., Numminen, P., Varstala, V., Tammi, A., Viikari, J., & Valimaki, I. (2004). Physical Activity as a Preventative Measure for Coronary Heart Disease Risk Factors in Early Childhood. *Scandinavian Journal of Medicine and Science in Sports*, 14, 143-149
- Schmidt, G.J., Walkuski, J.J., & Stensel, D. (1998). The Singapore Youth Coronary Risk and Physical Activity Study. *Medicine and Science in Sport and Exercise*, 30(1), 105-113.
- Sulemana, H., Smolensky, M.H., & Lai, D. (2006). Relationship between Physical Activity and Body Mass Index in Adolescents. *Medicine and Science in Sport and Exercise*, 38(6), 1182-1186.
- Suter, E. & Hawes, R. (1993). Relationship of Physical Activity, Body Fat, Diet, and Blood Lipid Profile in Youths 10-15 yr. *Medicine and Science in Sport and Exercise*, 25(6), 748-754.
- Tolfrey, K., Campbell, I.G., & Batterham, A.M. (1998). Exercise Training Induced Alterations in Prepubertal Children's Lipid-lipoprotein Profile. *Medicine and Science in Sport and Exercise*, 30(12), 1684-1692.

- Tolfrey, K., Jones, A.M., & Campbell, I.G. (2004). Lipid-Lipoproteins in Children: An Exercise Dose-Response Study. *Medicine and Science in Sport and Exercise*, 36(3), 418-427.
- Taimela, S., Lehtimaki, T., Porkka, K.V.K., Rasanen, L., & Viikari, J.S.A. (1996). The Effect of Physical Activity on Serum Total and Low-Density Lipoprotein Cholesterol Concentrations Varies with Apolipoprotein E Phenotype in Male Children and Young Adults: The Cardiovascular Risk in Young Finns Study. *Metabolism*, 45(7), 797-803.
- Thomas, N.E., Cooper, S.M., Williams, S.P., Baker, J.S., & Davies, B. (2007). Relationship of Fitness, Fatness, and Coronary Heart Disease Risk Factors in 12-to-13 year-olds. *Pediatric Exercise Science*, 19, 93-101.
- Webber, L.S., Osganian, S.K., Feldman, H.A., Wu, M., McKenzie, T.L., Nichaman, M., Lytle, L.A., Edmundson, E., Cutler, J., Nader, P.R., & Luepker, R.V. (1996). Cardiovascular Risk Factors among Children after a 2½ Year Intervention- The CATCH Study. *Preventative Medicine*, 25, 432-441.

6.2 Reference List

- Activity and Health Research (1992). *Allied Dunbar National Fitness Survey*. London: Sports Council and Health Education Authority.
- Alpert, B.S. & Wilmore, J.H. (1994). Physical Activity and Blood Pressure in Adolescents. *Pediatric Exercise Science*, 6, 361-380.
- Armstrong, N., Balding, J., Gentle, P., & Kirby, B. (1990). Patterns of physical activity among 11 to 16-year-old British Children. *British Medical Journal*, 301, 203-205.
- Armstrong, N. & Van Mechelen, W. (1998). Are Young People Fit and Active? In S.Biddle, J.Sallis and N.Cavill (eds), *Young and Active?* (pp. 69-97). London: Health Education Authority.
- Armstrong, N. & Welsman, J.R (1997). *Young People and Physical Activity*. Oxford: Oxford University Press.
- Armstrong, N. & Welsman, J.R. (2000). Development of Aerobic Fitness. *Pediatric Exercise Science*, 12, 128-149.

Bar-Or, O. (2003). The Juvenile Obesity Epidemic: Strike back with Physical Activity.

Sports Science Exchange, 89, 16(2).

Bar-Or, O., Foreyt, J., Bouchard, C., Brownell, K.D., Dietz, W.H., Ravussin, E., Salbe,

A.P., Schwenger, S., St Jeons, S., & Torun, B. (1998). Physical Activity, Genetic, and Nutritional Considerations in Childhood Weight Management. *Medicine and Science in Sport and Exercise*, 30(1), 2-10.

Beevers, G., Lip, G.Y.H., & O'Brien, E. (2001). *ABC of Hypertension* (4th ed). London:

BMJ Publishing group.

Berenson, G.S., Wattigney, W.A., Tracy, R.E., Newman, W.P., Srinivasan, S.R., Webber,

L.S., Dalferes, E.R., & Strong, J.P. (1992). Atherosclerosis of the Aorta and Coronary Arteries and Cardiovascular Risk Factors in Persons aged 6 to 30 years and Studied at Necropsy (The Bogalusa Heart Study). *American Journal of Cardiology*, 70, 851-858.

Betteridge, D.J. & Morrell, J.M. (2003). *Clinicians' Guide to Lipids and Coronary Heart*

Disease (2nd ed). London: Arnold.

Biddle, S.J.H., Gorely, T., Marshall, S.J., Murdy, I., & Cameron, N. (2003). Physical

Activity and Sedentary Behaviours in Youth: Issues and Controversies. *The Journal of the Royal Society for the Promotion of Health*, 124, 29-33.

Biddle, S., Sallis, J., & Cavill, N. (Eds) (1998). *Young and Active?* London: Health Education Authority.

British Heart Foundation (BHF). (2000). *Couch kids the growing epidemic: looking at physical activity in children in the UK*. London: BHF.

British Heart Foundation (2006, November 7). Retrieved November 7, 2006, from www.bhf.org.uk.

British Medical Association (2003). *Adolescent Health*. London: BMA.

Cale, L. & Harris, J. (2005). *Exercise and Young People, Issues, Implications, and Initiatives*. Palgrave MacMillan: New York.

Carleton, R.A., Dwyer, J., Finberg, L., Flora, J., Goodman, D.S., Grundy, S.M.,

Havas, S., Hunter, G.T., Kritchevsky, D., Lauer, R.M., Luepker, R.V., & Ramirez, A.G.

(1991). Report of the Expert Panel on Population Strategies for Blood Cholesterol Reduction. A Statement from the National Cholesterol Education Program, National Heart, Lung, and Blood Institute, National Institutes of Health. *Circulation*, 83(6), 2154-2232.

Cheung, L.W.Y. & Richmond, J.B. (Eds) (1995). *Child Health, Nutrition, and Physical Activity*. Champaign IL: Human Kinetics.

Chief Medical Officer's Annual Report (2002). Department of Health Publications. London: HMSO.

Cochrane Handbook (2005). Retrieved April 19, 2007, from <http://www.cochrane.org/resources/handbook/index.htm>

Cooper, A.C., Page, A.S., Foster, L.J., & Qahwaji, D. (2003). Commuting to School: Are Children Who Walk More Physically Active? *American Journal of Preventative Medicine*, 25(4), 273-276.

Corbin, C.B. (1987). Youth Fitness, Exercise and Health: There is much to be done. *Research Quarterly for Exercise and Sport*, 58(4), 308-314.

Department of Health (2002). *Annual Report of the Chief Medical Officer 2001*. London: DoH.

Department of Health (2003). *Annual Report of the Chief Medical Officer 2002*. London: DoH.

Department of Health (2004). *At Least 5-a Week, Physical Activity, Health Improvement and Prevention*. Chief Medical Officer.

Department of Environment, Transport, and the Regions (2000). *National Travel Survey: Update 1997/9*. London: HMSO.

Dickersin, K., Scherer, R., & Lefebvre, C. (1994). Systematic Reviews: Identifying Relevant Studies for Systematic Reviews. *British Medical Journal*, 309, 1286-1291.

Durant, R.H., Baranowski, T., Rhodes, T., Gutin, B., Thompson, O., Carrol, R.N., Puhl, J., & Greaves, K.A. (1993). Association among Serum Lipid and Lipoprotein Concentrations and Physical Activity, Physical Fitness, and Body Composition in Young Children. *Journal of Pediatrics*, 123, 185-192.

Durnin, J.V.G.A. (1992). Physical Activity Levels Past and Present. In N.Norgan (Ed.), *Physical Activity and Health*, (pp.20-27). Cambridge: Cambridge University Press.

Fox, K.R. (2003). Childhood obesity and the role of physical activity. *The Journal of the Royal Society for the Promotion of Health*, 124(1), 34-39.

Fulton-Kehoe, D.L., Eckel, R.H., Shetterly, S.M., & Hamman, R.F (1992). Determinants of Total High Density Lipoprotein Cholesterol and High Density Lipoprotein Subfraction Levels among Hispanic and Non-Hispanic White Persons with Normal Glucose Tolerance: The San Luis Valley Diabetes Study. *Journal of Clinical Epidemiology*, 45, 1191-1200.

Huang, Z., Hankinson, S.E., Colditz, G.A., Stampfer, M.J., Hunter, D.J., Manson, J.E., Hennekens, C.H., Rosner, B., Speizer, F.E., & Willet, W.C. (1997). Dual Effects of Weight and Weight Gain on Breast Cancer Risk. *The journal of the American Medical Association*, 278(17), 1448-1449.

Health Survey for England (2003). Retrieved November 8, 2006, from <http://www.dh.gov.uk/assetRoot/04/09/89/09/04098909.pdf>.

Heart UK, (2007). Retrieved April 29, 2007, from <http://www.heartuk.org.uk/new/pages/info/info.html>

Horn, L.V., Stason, W.B., & Stokes, J. (1991). Report of the Expert Panel on Population on Strategies for Blood Cholesterol Reduction. *Circulation*, 83(6), 2154-2232.

- Jadad, A.R., Moore, A., Carroll, D., Jenkinson, C., Reynolds, D.J.M., Gavaghan, & McQuay, H.J. (1996). Assessing the Quality of Reports of Randomized Clinical Trials: Is Blinding Necessary? *Controlled Clinical Trials*, 17, 1-12.
- Katzmarzyk, P.T., Malina, R.M., & Bouchard, C. (1999). Physical activity, physical fitness, and coronary heart disease risk factors in youth: The Quebec family study. *Preventative Medicine*, 29, 555-562
- Klag, M.J., Ford, D.E., Mead, L.A., He, J., Whelton, P.K., Liang, K.Y., & Levine, D.M. (1993). Serum Cholesterol in Young Men and Subsequent Cardiovascular Disease. *New England Journal of Medicine*, 328, 313-318.
- Malina, R.M. (1996). Tracking of Physical Activity and Physical Fitness across the Lifespan. *Research Quarterly for Exercise and Sport*, 67 (supplement 3), 48-57.
- Mallam, K.M., Metcalf, B.S., Kirkby, J., Voss, L.D. & Wilkin, T.J. (2003). Contribution of Timetabled Physical Education to Total Physical Activity in Primary School Children: Cross Sectional Study. *British Medical Journal*, 327, 592-593.
- Marshall, S.J., Biddle, S.J.H., Sallis, J.F., McKenzie, T.L., & Conway, T.L. (2002). Clustering of Sedentary Behaviors and Physical Activity among Youth: A Cross-national Study. *Pediatric Exercise Science*, 14, 401-417.

National Heart Forum (2006). *Economic cost of heart disease*. Retrieved November 8, 2006, from www.heartforum.org.uk.

National Audit Office (2001). *Tackling Obesity in England*. London: NAO.

Neumark-Sztainer, D., Story, M., French, S.A., Hannan, P.J., Resnick, M.D. & Blum, R.W. (1997). Psychosocial Concerns and Health-Compromising Behaviours among Overweight and Nonoverweight Adolescents. *Obesity Research*, 5(3), 237-249.

Newby, D., Cockcroft, J., & Wilkinson, I. (2005). *Coronary Heart Disease*. Elsevier: London.

Pate, R.R., Pratt, M., Blair, S.N., Haskell, W.L., Macera, C.A., Bouchard, C., Buchner, D., Ettinger, W., Heath, G.W., & King, A.C. (1995). Physical Activity and Public Health. A Recommendation from the Centers for Disease Control and Prevention and the American College of Sports Medicine. *The Journal of the American Medical Association*, 273(5), 402-407.

- Raitakari, O.T., Porkka, K.V.K., Rasanen, L., Ronnema, T., & Viikari, J.S. (1994). Clustering and Six Year Cluster-tracking of Serum Total Cholesterol, HDL-Cholesterol and Diastolic Blood Pressure in Children and Young Adults. The Cardiovascular Risk in Young Finns Study. *Journal of Clinical Epidemiology*, 47, 1085-1093.
- Riddoch, C.J. & Boreham, C. (2000). Physical Activity, Physical Fitness and Children's health: Current concepts. In N. Armstrong & W. Van Mechelen (Eds.), *Paediatric Exercise Science and Medicine* (pp.243-253). Oxford: Oxford University Press.
- Roberts, D., Foehr, U., Rideout, V., & Brodie, M. (1999). *Kids and Media @ the New Millennium*. The Henry J Kaiser Family Foundation.
- Sallis, J.F., Buono, M.J., Roby, J.J., Micale, F.G., & Nelson, J.A. (1993). Seven-day Recall and Other Physical Activity Self-Reports in Children and Adolescents. *Medicine and Science in Sport and Exercise*, 25, 99-108.
- Sallis, J.F. & Patrick, K. (1994). Physical Activity Guidelines for Adolescents; Consensus Statement. *Pediatric Exercise Science*, 6, 302-314.
- Seidell, J.C. (2000). Obesity, Insulin Resistance and Diabetes-a Worldwide Epidemic. *British Journal of Nutrition*, 83, suppl 5-8.

Simons-Morton, D.G. (1999). Physical Activity, Fitness, and Blood Pressure. In J.L.Izzo and H.R.Black (Eds.), *Hypertension primer* (2nd ed.), (pp.259-262). American Heart Association: United States of America.

Sinaiko, A.R. (1999). Blood Pressure in Children. In J.L.Izzo and H.R.Black (Eds.), *Hypertension primer* (2nd ed.), (pp.233-235). American Heart Association: United States of America.

Smith, A. & Green, K. (2005). The place of sport and physical activity in young people's lives and its implications for health: Some sociological comments. *Journal of Youth Studies*, 8(2), 241-253.

Sport England (2000). *Young People and Sport in England*, 1999. London: Author.

The Hastings Report (2003). Retrieved April 19, 2007, from

<http://www.foodstandards.gov.uk/multimedia/pdfs/foodpromotiontochildren1.pdf>

Telama, R., Laasko, L., & Yang, X. (1993). Physical Activity and Participation in Sports of Young People in Finland. *Scandinavian Journal of Medicine and Science in Sports*, 4, 65-74.

Tracy, R.E., Newman, W.P., Wattigney, W.A., & Berenson, G.S. (1995). Risk Factors and Atherosclerosis in Youth Autopsy Findings of the Bogalusa Heart Study. *American Journal of Medical Science*, 310, s37-s41.

Unal, B., Critchley, J.A., & Capewell, S. (2004). Explaining the Decline in Coronary Heart Disease Mortality in England and Wales between 1981 and 2000. *Circulation* published online March 1st, 2004, DOI: 10.1161/01.CIR.0000118498.35499.B2.

Webber, L.S., Osganian, S.K., Feldman, H.A., Wu, M., McKenzie, T.L., Nichaman, M., Lytle, L.A., Edmundson, E., Cutler, J., Nader, P.R., & Luepker, R.V. (1996). Cardiovascular risk factors among children after a 2½ year intervention- The CATCH study. *Preventative Medicine*, 25, 432-441

Webber, L.S., Srinivasan, S.R., Wattigney, W.A., & Berenson, G.S. (1991). Tracking of Serum Lipids and Lipoproteins from Childhood to Adulthood. *American Journal of Epidemiology*, 133, 884-899.

Welsman, J.R. & Armstrong, N. (2000). Physical Activity Patterns in Secondary School Children. *European Journal of Physical Education*, 5, 147-157.

Winsley, R., & Armstrong, N. (2005). Physical Activity, Physical Fitness, Health and Young People. In Green, K., & Hardman, K. (Eds.), *Physical Education: Essential Issues*, (pp 65-77). London: Sage.

Young, J.L. & Libby, P. (2007). Atherosclerosis. In L.S.Lilly (Ed.), *Pathophysiology of Heart Disease* (4th ed) (pp.118-140). United States of America: Lippincott Williams & Wilkins.

Health Education Authority (1997). *Young People and Physical Activity: A Literature Review*. London: HEA.

Zamani, P., Williams, G.H., & Lilly, L.S. (2007). Hypertension. In L.S.Lilly (Ed.), *Pathophysiology of Heart Disease* (4th ed) (pp.311-332). Lippincott Williams & Wilkins: United States of America.