

## References

- Amato, P. A., Morales, A. J., & Yen, S. S. C. (2000). Effects of chromium picolinate supplementation on insulin sensitivity, serum lipids, and body composition in healthy, nonobese, older men and women. *The Journals of Gerontology*, 55A (5), 260-263.
- Bahadori, B., Wallner, S., Schneider, H., Wascher, T. C., & Toplak, H. (1997). Effects of chromium yeast and chromium picolinate on body composition in obese non-diabetic patients during and after a very-low-calorie diet. *Acta Medica Austriaca*, 24 (5), 185-187.
- Bulbulian, R, Pringle, D. D., & Liddy, M. S. (1996). Chromium picolinate supplementation in male and female swimmers [abstract]. *Medicine and Science in Sports and Exercise*, 28 (5), S111.
- Campbell, N. A., & Reece, J. B. (2002). *Biology*. (6<sup>th</sup> ed.). San Francisco: Benjamin Cummings.
- Campbell, W. W., Joseph, L. J. O., Anderson, R. A., Davey, S. L., Hinton, J., & Evans, W. J. (2002). Effects of resistance training and chromium picolinate on body composition and skeletal muscle size in older women. *International Journal of Sport Nutrition*, 12 (2), 125-135.
- Campbell, W. W., Joseph, L. J. O., Davey, S. L., Cyr-Campbell, D., Anderson, R. A., & Evans, W. J. (1999). Effects of resistance training and chromium picolinate on body composition and skeletal muscle in older men. *Journal of Applied Physiology*, 86 (1), 29-39.
- Clancy, S. P., Clarkson, P. M., DeCheke, M. E., Nosaka, K., Freedson, P. S., Cunningham, J. J., & Valentine, B. (1994). Effects of chromium picolinate supplementation on body composition, strength, and urinary chromium loss in football players. *International Journal of Sport Nutrition*, 4 (2), 142-153.

Committee on the Medical Aspects of Food Policy (COMA). (1991). *Dietary Reference Values for Food Energy and Nutrients for the United Kingdom: Report of the Panel on Dietary Reference Values of the Committee on Medical Aspects of Food Policy*. London: The Stationery Office.

Crawford, V., Scheckenbach, R., & Preuss, H. G. (1999). Effects of niacin-bound chromium supplementation on body composition in overweight African-American women. *Diabetes, Obesity and Metabolism*, 1 (6), 331-337.

Davis, J. M., Welsh, R. S., & Alderson, N. A. (2000). Effects of Carbohydrate and Chromium Ingestion During High-Intensity Exercise to Fatigue. *International Journal of Sports Nutrition and Exercise Metabolism*, 10, 476-485.

Department of Health. (2005). *Prevalence of Overweight and Obesity by Age and Sex*. Retrieved July 29, 2007 from the Department of Health web site: [www.heartstats.org](http://www.heartstats.org)

Diaz, M. L., Watkins, B. A., Li, Y., Anderson, R. A., & Campbell, W. W. (2007). Chromium picolinate and conjugated linoleic acid do not synergistically influence diet- and exercise-induced changes in body composition and health indexes in overweight women. *Journal of Nutritional Biochemistry* [Electronic publication ahead of print, May 23, 2007]. Retrieved June 15, 2007 from  
<http://www.sciencedirect.com.voyager.chester.ac.uk/science/journal/09552863>

Evans, G. W. (1989). The Effect of Chromium Picolinate on Insulin Controlled Parameters in Humans. *International Journal of Biosocial and Medical Research*, 11 (2), 163-180.

Expert Group on Vitamins and Minerals. (2000). *Current usage of vitamin and mineral supplements in the UK*. Retrieved August 3, 2007 from Food Standards Agency web site:  
[www.food.gov.uk/multimedia/pdfs/evm0005p.pdf](http://www.food.gov.uk/multimedia/pdfs/evm0005p.pdf)

Expert Group on Vitamins and Minerals. (2002). *Review of Chromium*. Retrieved August 12, 2007 from Food Standards Agency web site:  
<http://www.food.gov.uk/multimedia/pdfs/reviewofchrome.pdf>

Frayn, K. N. (1991). *Metabolic Regulation: A Human Perspective*. London: Portland Press.

Grant, K. E., Chandler, R. M., Castle, A. L., & Ivy, J. L. (1997). Chromium and exercise training: effect on obese women. *Medicine and Science in Sports and Exercise*, 29 (8), 992-998.

Hallmark, M. A., Reynolds, T. H., DeSouza, C. A., Dotson, C.O., Anderson, R. A., & Rogers, M. A. (1996). Effects of chromium and resistive training on muscle strength and body composition. *Medicine and Science in Sports and Exercise*, 28 (1), 139-144.

Hames, B. D., & Hooper, N. M. (2000). *Biochemistry*. (2<sup>nd</sup> ed.). Oxford: BIOS Scientific Publishers, Ltd.

Hasten, D. L., Rome, E. P., Franks, B. D., & Hegsted, M. (1992). Effects of chromium picolinate on beginning weight training students. *International Journal of Sport Nutrition*, 2 (4), 343-350.

Hoeger, W. W. K., Harris, C., Long, E. M., & Hopkins, D. R. (1998). Four-week supplementation with a natural dietary compound produces favourable changes in body composition. *Advances in Therapy*, 15 (5), 305-314.

Jadad, A. R., Moore, R. A., Carroll, D., Jenkinson, C., Reynolds, D. J. M., Gavaghan, D. J., & McQuay, H. J. (1996). Assessing the Quality of Reports of Randomized Clinical Trials: Is Blinding Necessary? *Controlled Clinical Trials*, 17, 1-12.

Kaats, G. R., Blum, K., Fisher, J. A., & Adelman, J. A. (1996). Effects of chromium picolinate supplementation on body composition: a randomised, double-masked, placebo-controlled study. *Current Therapeutic Research*, 57 (10), 747-756.

Kaats, G. R., Blum, K., Pullin, D., Keith, S. C., & Wood, R. (1998). A randomised, double-masked, placebo-controlled study of the effects of chromium picolinate supplementation on body composition: a replication and extension of a previous study. *Current Therapeutic Research*, 59 (6), 379-388.

Livorsi, J. M., Adams, G. M., & Laguna, P. L. (2001). The Effect of Chromium Picolinate on Muscular Strength and Body Composition in Women Athletes. *Journal of Strength and Conditioning Research*, 15 (2), 161-166.

Lukaski, H. C., Bolonchuk, W. W., Siders, W. A., & Milne, D. B. (1996). Chromium supplementation and resistance training: effects on body composition, strength, and trace element status of men. *The American Journal of Clinical Nutrition*, 63 (6), 954-965.

Lukaski, H. C., Siders, W. A., & Penland, J. G. (2007). Chromium picolinate supplementation in women: effects on body weight, composition, and iron status. *Nutrition*, 23 (3), 187-195.

Mirasol, F. (2000). Chromium Picolinate Market Sees Robust Growth and High Demand. *Chemical Market Reporter*, 257 (7), 26.

Moher, D., Jadad, A. R., Nichol, G., Penman, M., Tugwell, P., & Walsh, S. (1995). Assessing the Quality of Randomized Controlled Trials: An Annotated Bibliography of Scales and Checklists. *Controlled Clinical Trials*, 16, 62-73.

Nutrition 21, Inc. Purchase, New York, USA. (2004). *Our Products, Therapeutic Brands – Chromax®*. Retrieved June 25, 2007, from the Nutrition 21: Dietary Supplements and Nutrition Products Web site: <http://www.nutrition21.com/Divisions/Therapeutic/Chromax.aspx>

Patton, D. (2004). Chromium picolinate gets all-clear in UK. *Food Quality News .com*. Retrieved August 5, 2007 from <http://foodqualitynews.com/news/ng.asp?id=56774&n=wh52&c=%23emailcode>

Reilly, J. J., Wilson, J., & Durnin, J. V. (1995). Determination of body composition from skinfold thickness: a validation study. *Archives of Disease in Childhood*, 73 (4), 305-310.

Sharon, M. (2000). *Nutrients A-Z: A User's Guide to Foods, Herbs, Vitamins, Minerals & Supplements*. London: Prion Books Ltd.

Trent, L. K., & Thielding-Cancel, D. (1995). Effects of chromium picolinate on body composition. *The Journal of Sports Medicine and Physical Fitness*, 35 (4), 273-280.

Trumbo, P., Yates, A. A., Schlicker, S., & Poos, M. (2001). Dietary Reference Intakes: Vitamin A, Vitamin K, Arsenic, Boron, Chromium, Copper, Iodine, Iron, Manganese, Molybdenum, Nickel, Silicon, Vanadium, and Zinc. *Journal of the American Dietetic Association*, 101 (3), 294-301.

Tsuda, K., Yokoyama, Y., Morita, M., Nakazawa Y., & Onishi, S. (1998). Selenium and chromium deficiency during long-term home parenteral nutrition in chronic idiopathic intestinal pseudoobstruction. *Nutrition*, 14 (3), 291-295.

United States of America Federal Trade Commission. (1997a). *In the matter of Nutrition 21: Docket No. C-3758 - Complaint*. Retrieved September 2, 2007 from the Federal Trade Commission web site: [www.ftc.gov/os/1997/07/nutrit~1.htm](http://www.ftc.gov/os/1997/07/nutrit~1.htm)

United States of America Federal Trade Commission. (1997b). *In the matter of Nutrition 21: Docket No. C-3758 - Decision and Order*. Retrieved September 2, 2007 from the Federal Trade Commission web site: <http://www.ftc.gov/os/1997/07/nutrit~2.htm>

United States National Library of Medicine. (2007). *Medical Subject Headings – MeSH Browser*. Retrieved June 20, 2007, from the U.S. National Library of Medicine Web site: <http://www.nlm.nih.gov/mesh/>

Vincent, J. B. (2003). The Potential Value and Toxicity of Chromium Picolinate as a Nutritional Supplement, Weight Loss Agent and Muscle Development Agent. *Sports Medicine*, 33 (3), 213-230.

Volpe, S., Huang, H., Larpadisorn, K., & Lesser, I. I. (2001). Effect of chromium supplementation and exercise on body composition, resting metabolic rate and selected biochemical parameters in moderately obese women following an exercise program. *Journal of the American College of Nutrition*, 20 (4), 293-306.

Walker, L. S., Bemben, M. G., Bemben, D. A., & Knehans, A. W. (1998). Chromium Picolinate Effects on Body Composition and Muscular Performance in Wrestlers. *Medicine and Science in Sport and Exercise*, 30 (12), 1730-1737.

Wilczynski, N. L., Haynes, R. B. (2003). Developing Optimal Search Strategies for Detecting Clinically Sound Causation Studies in MEDLINE. *Annual Symposium Proceedings*, 719-723.

World Health Organisation. (2006). *Obesity and Overweight: What are overweight and obesity*. Retrieved August 7, 2007 from the World Health Organisation web site: [www.who.int](http://www.who.int)