

References

- Adams, C. J., Boulton, C. H., Deadman, B. J., Farr, J. M., Grainger, M. N. C., Manley-Harris, M., et al. (2008). Isolation by HPLC and characterisation of the bioactive fraction of New Zealand Manuka (*leptospermum scoparium*) honey. *Carbohydrate Research*, 343(4), 651.
- Ahn, M., Kumazawa, S., Usui, Y., Nakamura, J., Matsuka, M., Zhu, F., et al. (2007). Antioxidant activity and constituents of propolis collected in various areas of China. *Food Chemistry*, 101(4), 1383-1392.
- Aljadi, A. M., & Kamaruddin, M. Y. (2004). Evaluation of the phenolic contents and antioxidant capacities of two Malaysian floral honeys. *Food Chemistry*, 85(4), 513-518.
- Allaker, R. P., & Douglas, C. W. I. (2009). Novel anti-microbial therapies for dental plaque-related diseases. *International Journal of Antimicrobial Agents*, 33(1), 8-13.
- Allen, K.L., Molan, P.C, & Reid, G.M. (1991). A survey of the antibacterial activity of some New Zealand honeys. *Journal of Pharmacy and Pharmacology*, 43, 817-822. (Abstract only)
- Al-Mamary, M., Al-Meerri, A., & Al-Habori, M. (2002). Antioxidant activities and total phenolics of different types of honey. *Nutrition Research*, 22(9), 1041-1047.

- Baltrušaitytė, V., Venskutonis, P. R., & Čeksterytė, V. (2007). Radical scavenging activity of different floral origin honey and beebread phenolic extracts. *Food Chemistry*, 101(2), 502-514.
- Banskota, A. H., Tezuka, Y., Adnyana, I. K., Midorikawa, K., Matsushige, K., Message, D., et al. (2000). Cytotoxic, hepatoprotective and free radical scavenging effects of propolis from Brazil, Peru, the Netherlands and China. *Journal of Ethnopharmacology*, 72(1-2), 239-246.
- Bankova, V., Christov, R., Popov, S., Marcucci, M. C., Tsvetkova, I., & Kujumgiev, A. (1999). Antibacterial activity of essential oils from Brazilian propolis. *Fitoterapia*, 70(2), 190-193.
- Basson, N.J., & Grobler, S.R. (2008). Antimicrobial activity of two South African honeys produced from indigenous *Leucospermum cordifolium* and *Erica* species on selected microorganisms. *BMC Complementary and Alternative Medicine*, 8, 41-44.
- Benzie, I.F.F., & Strain, J.J. (1996). The ferric reducing ability of plasma (FRAP) as a measure of "Antioxidant Power": The FRAP assay. *Analytical Biochemistry*, 239(1), 70-76.
- Beretta, G., Granata, P., Ferrero, M., Orioli, M., & Maffei Facino, R. (2005). Standardization of antioxidant properties of honey by a combination of spectrophotometric/fluorimetric assays and chemometrics. *Analytica Chimica Acta*, 533(2), 185-191.

- Bertoncelj, J., Doberšek, U., Jamnik, M., & Golob, T. (2007). Evaluation of the phenolic content, antioxidant activity and colour of Slovenian honey. *Food Chemistry*, *105*(2), 822-828.
- Blasa, M., Candiracci, M., Accorsi, A., Piacentini, M. P., Albertini, M. C., & Piatti, E. (2006). Raw millefiori honey is packed full of antioxidants. *Food Chemistry*, *97*(2), 217-222.
- Blasa, M., Candiracci, M., Accorsi, A., Piacentini, M. P., & Piatti, E. (2007). Honey flavonoids as protection agents against oxidative damage to human red blood cells. *Food Chemistry*, *104*(4), 1635-1640.
- Bossio, K., Avanzini, C., D'Avolio, A., Ozino, O., & Savoia, D. (2000). In Vitro activity of propolis against *Streptococcus pyogenes*. *Letters in Applied Microbiology*, *31*, 174-177.
- Boyanova, L., Kolarov, R., Gergova, G., & Mitov, I. (2006). In vitro activity of Bulgarian propolis against 94 clinical isolates of anaerobic bacteria. *Anaerobe*, *12*(4), 173-177.
- Buratti, S., Benedetti, S., & Cosio, M. S. (2007). Evaluation of the antioxidant power of honey, propolis and royal jelly by amperometric flow injection analysis. *Talanta*, *71*(3), 1387-1392.
- Burdock, G. A. (1998). Review of the biological properties and toxicity of bee propolis (propolis). *Food and Chemical Toxicology*, *36*(4), 347-363.

- Castaldo, S., & Capasso, F. (2002). Propolis, an old remedy used in modern medicine. *Fitoterapia*, 73(Supplement 1), S1-S6.
- Christov, R., Bankova, V., Tsvetkova, I., Kujumgiev, A., & Delgado Tejera, A. (1999). Antibacterial furofuran lignans from Canary Islands propolis. *Fitoterapia*, 70(1), 89-92.
- Cornelli, U. (2009). Antioxidant use in nutraceuticals. *Clinics in Dermatology*, 27(2), 175-194.
- Cushnie, T. P. T., & Lamb, A. J. (2005). Antimicrobial activity of flavonoids. *International Journal of Antimicrobial Agents*, 26(5), 343-356.
- da Costa, C. C., & Pereira, R. G. (2002). The influence of propolis on the rheological behaviour of pure honey. *Food Chemistry*, 76(4), 417-421.
- da Silva, J. F. M., de Souza, M. C., Matta, S. R., de Andrade, M. R., & Vidal, F. V. N. (2006). Correlation analysis between phenolic levels of Brazilian propolis extracts and their antimicrobial and antioxidant activities. *Food Chemistry*, 99(3), 431-435.
- Daugusch, A., Moraes, C.S., Fort, P., & Park, Y.K. (2007). Brazilian red propolis-chemical composition and botanical origin. *Evidence Based Complementary and Alternative Medicine*, 1-7.

- Dobrowolski, J. W., Vohora, S. B., Sharma, K., Shah, S. A., Naqvi, S. A. H., & Dandiya, P. C. (1991). Antibacterial, antifungal, antiamebic, anti-inflammatory and antipyretic studies on propolis bee products. *Journal of Ethnopharmacology*, *35*(1), 77-82.
- Duarte, S., Rosalen, P. L., Hayacibara, M. F., Cury, J. A., Bowen, W. H., Marquis, R. E., et al. (2006). The influence of a novel propolis on mutans streptococci biofilms and caries development in rats. *Archives of Oral Biology*, *51*(1), 15-22.
- Duthie, G.G., Gardner, P.T., & Kyle, J.A.M. (2003). Plant phenols: are they the new magic bullet? *Proceedings of the Nutrition Society*, *65*, 599-603
- Fernández-Pachón, M. S., Villaño, D., García-Parrilla, M. C., & Troncoso, A. M. (2004). Antioxidant activity of wines and relation with their polyphenolic composition. *Analytica Chimica Acta*, *513*(1), 113-118.
- Frankel, E.N., & Meyer, A.S. (2000). Review: The problems of using one dimensional methods to evaluate multifunctional food and biological antioxidants. *Journal of Food and Agriculture*, *80*, 1925-1941.
- Garcia-Alonso, M., de Pascual-Teresa, S., Santos-Buelga, C., & Rivas-Gonzalo, J.C. (2004). Evaluation of the antioxidant properties of fruits. *Food Chemistry*, *84*, 13-18.
- Garedeu, A., Schmolz, E., & Lamprecht, I. (2004). Microbiological and calorimetric investigations on the antimicrobial actions of different propolis extracts: An in vitro approach. *Thermochimica Acta*, *422*(1-2), 115-124.

- Havsteen, B. H. (2002). The biochemistry and medical significance of the flavonoids. *Pharmacology & Therapeutics*, 96(2-3), 67-202.
- Hayacibara, M. F., Koo, H., Rosalen, P. L., Duarte, S., Franco, E. M., Bowen, W. H., et al. (2005). In vitro and in vivo effects of isolated fractions of Brazilian propolis on caries development. *Journal of Ethnopharmacology*, 101(1-3), 110-115.
- Isla, M. I., Nieva Moreno, M. I., Sampietro, A. R., & Vattuone, M. A. (2001). Antioxidant activity of argentine propolis extracts. *Journal of Ethnopharmacology*, 76(2), 165-170.
- Jamnik, P., Goranovič, D., & Raspor, P. (2007). Antioxidative action of royal jelly in the yeast cell. *Experimental Gerontology*, 42(7), 594-600.
- Johnston, J. E., Sepe, H. A., Miano, C. L., Brannan, R. G., & Alderton, A. L. (2005). Honey inhibits lipid oxidation in ready-to-eat ground beef patties. *Meat Science*, 70(4), 627-631.
- Kartal, M., Yıldız, S., Kaya, S., Kurucu, S., & Topçu, G. (2003). Antimicrobial activity of propolis samples from two different regions of Anatolia. *Journal of Ethnopharmacology*, 86(1), 69-73.
- Koo, H., Gomes, B. P. F. A., Rosalen, P. L., Ambrosano, G. M. B., Park, Y. K., & Cury, J. A. (2000). In vitro antimicrobial activity of propolis and arnica montana against oral pathogens. *Archives of Oral Biology*, 45(2), 141-148.

- Koru, O., Toksoy, F., Acikel, C. H., Tunca, Y. M., Baysallar, M., Uskudar Guclu, A., et al. (2007). In vitro antimicrobial activity of propolis samples from different geographical origins against certain oral pathogens. *Anaerobe*, *13*(3-4), 140-145.
- Küçük, M., Kolaylı, S., Karaoğlu, Ş., Ulusoy, E., Baltacı, C., & Candan, F. (2007). Biological activities and chemical composition of three honeys of different types from Anatolia. *Food Chemistry*, *100*(2), 526-534.
- Kujumgiev, A., Tsvetkova, I., Serkedjieva, Y., Bankova, V., Christov, R., & Popov, S. (1999). Antibacterial, antifungal and antiviral activity of propolis of different geographic origin. *Journal of Ethnopharmacology*, *64*(3), 235-240.
- Kumazawa, S., Hamasaka, T., & Nakayama, T. (2004). Antioxidant activity of propolis of various geographic origins. *Food Chemistry*, *84*(3), 329-339.
- Lee, H., Churey, J. J., & Worobo, R. W. (2008). Antimicrobial activity of bacterial isolates from different floral sources of honey. *International Journal of Food Microbiology*, *126*(1-2), 240-244.
- Lu, L., Chen, Y., & Chou, C. (2005). Antibacterial activity of propolis against staphylococcus aureus. *International Journal of Food Microbiology*, *102*(2), 213-220.
- Lusby, P. E., Coombes, A. L., & Wilkinson, J. M. (2005). Bactericidal activity of different honeys against pathogenic bacteria. *Archives of Medical Research*, *36*(5), 464-467.

- Maidment, C., Dyson, A., & Haysom, I. (2006). A study into the antimicrobial effects of cloves (*Syzygium aromaticum*) and cinnamon (*cinnamomum zeylanicum*) using disc diffusion assay. *Nutrition & Food Science*, *36*(4), 225-230.
- Meda, A., Lamien, C. E., Romito, M., Millogo, J., & Nacoulma, O. G. (2005). Determination of the total phenolic, flavonoid and proline contents in Burkina Fasan honey, as well as their radical scavenging activity. *Food Chemistry*, *91*(3), 571-577.
- Melliou, E., Stratis, E., & Chinou, I. (2007). Volatile constituents of propolis from various regions of Greece – antimicrobial activity. *Food Chemistry*, *103*(2), 375-380.
- Mishima, S., Yoshida, C., Akino, S., & Sakamoto, T. (2005). Antihypertensive effects of Brazilian propolis: identification of caffeoylquinic acids and constituents involved in the hypotension in spontaneously hypertensive rats. *Biol. Pharm. Bull.*, *28*(10), 1909-1914.
- Mohammadzadeh, S., Sharriatpanahi, M., Hamed, M., Amanzadeh, Y., Sadat Ebrahimi, S. E., & Ostad, S. N. (2007). Antioxidant power of Iranian propolis extract. *Food Chemistry*, *103*(3), 729-733.
- Mundo, M. A., Padilla-Zakour, O. I., & Worobo, R. W. (2004). Growth inhibition of foodborne pathogens and food spoilage organisms by select raw honeys. *International Journal of Food Microbiology*, *97*(1), 1-8.
- Nagai, T., Inoue, R., Inoue, H., & Suzuki, N. (2003). Preparation and antioxidant properties of water extract of propolis. *Food Chemistry*, *80*(1), 29-33.

- Nagai, T., Inoue, R., Kanamori, N., Suzuki, N., & Nagashima, T. (2006). Characterization of honey from different floral sources, its functional properties and effects of honey species on storage of meat. *Food Chemistry*, 97(2), 256-262.
- Nagai, T., Sakai, M., Inoue, R., Inoue, H., & Suzuki, N. (2001). Antioxidative activities of some commercially honeys, royal jelly, and propolis. *Food Chemistry*, 75(2), 237-240.
- Nieva Moreno, M. I., Isla, M. I., Cudmani, N. G., Vattuone, M. A., & Sampietro, A. R. (1999). Screening of antibacterial activity of amaicha del valle (tucumán, argentina) propolis. *Journal of Ethnopharmacology*, 68(1-3), 97-102.
- Ou, B., Huang, D., Hampsch-Woodill, M., Flanagan, M., & Deemer, E.K. (2002). Analysis of antioxidant activities of common vegetables employing Oxygen Radical Absorbance Capacity (ORAC) and Ferric Reducing Antioxidant Power (FRAP) assays: A comparative study. *Journal of Agricultural Food Chemistry*, 50, 3122-3128.
- Patton, T., Barrett, J., Brennan, J., & Moran, N. (2006). Use of a spectrophotometric bioassay for determination of microbial sensitivity to manuka honey. *Journal of Microbiological Methods*, 64(1), 84-95.
- Pérez-Jiménez, J., & Saura-Calixto, F. (2006). Effect of solvent and certain food constituents on different antioxidant capacity assays. *Food Research International*, 39(7), 791-800.

- Peterson, J., & Dwyer, J. (1998). Flavonoids: Dietary occurrence and biochemical activity. *Nutrition Research*, 18(12), 1995-2018.
- Pietta, P. G., Gardana, C., & Pietta, A. M. (2002). Analytical methods for quality control of propolis. *Fitoterapia*, 73(Supplement 1), S7-S20.
- Prior, R. L., & Cao, G. (1999). In vivo total antioxidant capacity: Comparison of different analytical methods¹. *Free Radical Biology and Medicine*, 27(11-12), 1173-1181.
- Russo, A., Longo, R., & Vanella, A. (2002). Antioxidant activity of propolis: Role of caffeic acid phenethyl ester and galangin. *Fitoterapia*, 73(Supplement 1), S21-S29.
- Santos, F. A., Bastos, E. M. A., Uzeda, M., Carvalho, M. A. R., Farias, L. M., Moreira, E. S. A., et al. (2002a). Antibacterial activity of Brazilian propolis and fractions against oral anaerobic bacteria. *Journal of Ethnopharmacology*, 80(1), 1-7.
- Santos, F. A., Bastos, E. M. A. F., Uzeda, M., Carvalho, M. A. R., Farias, L. M., & Moreira, E. S. A. (1999). Antibacterial activity of propolis produced in Brazil against *actinobacillus actinomycetemcomitans*, *fusobacterium* spp. and bacteria from the *bacteroides fragilis* group isolated from human and marmoset hosts. *Anaerobe*, 5(3-4), 479-481.
- Santos, F. A., Bastos, E. M. A., Rodrigues, P. H., de Uzeda, M., de Carvalho, M. A. R., de Macedo Farias, L., et al. (2002b). Susceptibility of *prevotella intermedia*/*Prevotella nigrescens* (and *porphyromonas gingivalis*) to propolis (bee glue) and other antimicrobial agents. *Anaerobe*, 8(1), 9-15.

- Scazzocchio, F., D'Auria, F. D., Alessandrini, D., & Pantanella, F. (2006). Multifactorial aspects of antimicrobial activity of propolis. *Microbiological Research*, 161(4), 327-333.
- Sforcin, J. M., Fernandes, A., Lopes, C. A. M., Bankova, V., & Funari, S. R. C. (2000). Seasonal effect on Brazilian propolis antibacterial activity. *Journal of Ethnopharmacology*, 73(1-2), 243-249.
- Silici, S., & Koc, A.N. (2006). Comparative study of in vitro methods to analyse the antifungal activity of propolis against yeasts isolated from patients with superficial mycoses. *Letters in Applied Microbiology*, 43, 318-324.
- Silici, S., & Kutluca, S. (2005). Chemical composition and antibacterial activity of propolis collected by three different races of honeybees in the same region. *Journal of Ethnopharmacology*, 99(1), 69-73.
- Snow, M. J., & Manley-Harris, M. (2004). On the nature of non-peroxide antibacterial activity in New Zealand manuka honey. *Food Chemistry*, 84(1), 145-147.
- Sonmez, S., Kirilmaz, L., Yucesoy, M., Yücel, B., & Yilmaz, B. (2005). The effect of bee propolis on oral pathogens and human gingival fibroblasts. *Journal of Ethnopharmacology*, 102(3), 371-376.
- Stephens, J. W., Khanolkar, M. P., & Bain, S. C. (2009). The biological relevance and measurement of plasma markers of oxidative stress in diabetes and cardiovascular disease. *Atherosclerosis*, 202(2), 321-329.

- Tabart, J., Kevers, C., Pincemail, J., Defraigne, J., & Dommès, J. (2009). Comparative antioxidant capacities of phenolic compounds measured by various tests. *Food Chemistry*, *113*(4), 1226-1233.
- Taormina, P. J., Niemira, B. A., & Beuchat, L. R. (2001). Inhibitory activity of honey against foodborne pathogens as influenced by the presence of hydrogen peroxide and level of antioxidant power. *International Journal of Food Microbiology*, *69*(3), 217-225.
- Tosi, E. A., Ré, E., Ortega, M. E., & Cazzoli, A. F. (2007). Food preservative based on propolis: Bacteriostatic activity of propolis polyphenols and flavonoids upon *Escherichia coli*. *Food Chemistry*, *104*(3), 1025-1029.
- Trusheva, B., Popova, M., Naydenski, H., Tsvetkova, I., Gregorio Rodriguez, J., & Bankova, V. (2004). New polyisoprenylated benzophenones from Venezuelan propolis. *Fitoterapia*, *75*(7-8), 683-689.
- Turkmen, N., Sari, F., Poyrazoglu, E. S., & Velioglu, Y. S. (2006). Effects of prolonged heating on antioxidant activity and colour of honey. *Food Chemistry*, *95*(4), 653-657.
- Uzel, A., Sorkun, K., Önçağ, Ö., Çoğulu, D., Gençay, Ö., & Salih, B. (2005). Chemical compositions and antimicrobial activities of four different Anatolian propolis samples. *Microbiological Research*, *160*(2), 189-195.

- Visavadia, B. G., Honeysett, J., & Danford, M. H. (2008). Manuka honey dressing: An effective treatment for chronic wound infections. *British Journal of Oral and Maxillofacial Surgery*, *46*(1), 55-56.
- Viuda-Martos, M., Ruiz-Navajas, Y., Fernandez-Lopez, J. & Perez-Alvarez, J.A. (2008). Functional properties of honey, propolis and royal jelly. *Journal of Food Science*, *73*(9), 117-124.
- Wang, B., Lien, Y., & Yu, Z. (2004). Supercritical fluid extractive fractionation – study of the antioxidant activities of propolis. *Food Chemistry*, *86*(2), 237-243.
- Watson, D.G., Peyfoon, E., Zheng, L., Lu, D., Seidel, V., Johnston, B. et al. (2006). Application of principal components analysis to H-NMR data obtained from propolis samples of different geographical origin. *Phytochemical Analysis*, *17*, 323-331.
- Weston, R. J. (2000). The contribution of catalase and other natural products to the antibacterial activity of honey: A review. *Food Chemistry*, *71*(2), 235-239.
- Weston, R. J., Brocklebank, L. K., & Lu, Y. (2000). Identification and quantitative levels of antibacterial components of some New Zealand honeys. *Food Chemistry*, *70*(4), 427-435.
- Weston, R. J., Mitchell, K. R., & Allen, K. L. (1999). Antibacterial phenolic components of New Zealand manuka honey. *Food Chemistry*, *64*(3), 295-301.

Wu, W., Lu, L., Long, Y., Wang, T., Liu, L., Chen, Q., et al. (2007). Free radical scavenging and antioxidative activities of caffeic acid phenethyl ester (CAPE) and its related compounds in solution and membranes: A structure–activity insight. *Food Chemistry*, *105*(1), 107-115.

Websites:

- <http://www.welchsjuice.co.uk>