

7. References

Anglian Breast Cancer Study Group. (2000). Prevalence and penetrance of BRCA1 and BRCA2 mutations in a population-based series of breast cancer cases. *British Journal of Cancer*, 83, 1301–1308. doi: 10.1054/bjoc.2000.1407

Antoniou, A., Pharoah, P. D. P., Narod, S., Risch, H. A., Eyfjord, J. E., Hopper, J. L., Loman, N., Olsson, H., Johannsson, O., Borg, A., Pasini, B., Radice, P., Manoukian, S., Eccles, D. M., Tang, N., Olah, E., Anton-Culver, H., Warner, E., Lubinski, J., Gronwald, J., Gorski, B., Tulinius, H., Thorlacius, S., Eerola, H., Nevanlinna, H., Syrjäkoski, K., Kallioniemi, O. P., Thompson, D., Evans, C., Peto, J., Lalloo, F., Evans, D. G., Easton, D. F. (2003). Average risks of breast and ovarian cancer associated with BRCA1 or BRCA2 mutations detected in case series unselected for family history: A combined analysis of 22 studies. *American Journal of Human Genetics*, 72, 1117 – 1130.

Babbie, E. (2001). *The Practice of Social Research (9th Ed.)*. Belmont, CA: Wadsworth-Thomson Learning.

Barron, J. A., LaVecchia, C., & Levi, F. (1990). The antiestrogenic effect of cigarette smoking in women. *American Journal of Obstetrics and Gynecology*, 162, 502-514.

- Beagan, B. L., Chapman, G. E. (2004). Eating after breast cancer: Influences on women's actions. *Journal of Nutrition Education and Behavior*, 36(4), 181-188. doi: 10.1016/S1499-4046(06)60232-7
- Bingham, S. A., Luben, R., Welch, A., Wareham, N., Khaw, K. T., Day, N. (2003). Are imprecise methods obscuring a relationship between fat and breast cancer? Report from the EPIC Norfolk prospective cohort study. *Lancet*, 362, 212-214.
- Block, G., Patterson, B., Subar, A. (1992). Fruit, vegetables, and cancer prevention: A review of the epidemiological evidence. *Nutrition Cancer*, 18, 1-29.
- Brunet, J. S., Ghadirian, P., Rebbeck, T. R., Lerman, C., Garber, J. E., Tonin, P. N., Abrahamson, J., Foulkes, W. D., Daly, M., Wagner-Costalas, J., Godwin, A., Olopade, O. I., Moslehi, R., Liede, A., Futreal, P. A., Weber, B. L., Lenoir, G. M., Lynch, H. T., Narod, S. A. (1998). Effect of smoking on breast cancer in carriers of mutant BRCA1 and BRCA2 genes. *Journal of the National Cancer Institute*, 90, 761-766.
- Chapman, G. E., & Beagan, B. (2003). Womens Perspectives on Nutrition, Health and Breast Cancer. *Journal of Nutrition Education and Behavior*, 35(3), 135-141. doi:10.1016/S1499-4046(06)60197-8

Cappelli, M., Surh, L., Humphreys, L., Verma, S., Logan, D., Hunter, A., & Allanson, J. (2001). Measuring women's preferences for breast cancer treatments and BRCA1/BRCA2 testing. *Quality of Life Research, 10*(7), 595-607.

Carpenter, C. L., Ross, R. K., Paganini-Hill, A., Bernstein, L. (2003). Effect of family history, obesity and exercise on breast cancer risk among postmenopausal women. *International Journal of Cancer, 106*, 96-102.

Collaborative Group on Hormonal Factors in Breast Cancer. (2002). Alcohol, tobacco and breast cancer - collaborative re-analysis of individual data from 53 epidemiological studies, including 58,515 women with breast cancer and 95,067 women without the disease. *British Journal of Cancer, 87*, 1234–1245. Retrieved from <http://proquest.umi.com>

De Leeuw, J. R. J., van Vliet, M. J., Ausems. M. G. E. M. (2008). Predictors of choosing life-long screening or prophylactic surgery in women at high and moderate risk for breast and ovarian cancer. *Familial Cancer, 7*, 347-360. doi:10.1007/s10689-008-9189-5

Eisen, A., Lubinski, J., Klijn, J., Moller, P., Lynch, H. T., Offit, K., Weber, B., Rebbeck, T., Neuhausen, S. L., Ghadirian, P., Foulkes, W. D., Gershoni-Baruch, R., Friedman, E., Rennert, G., Wagner, T., Isaacs, C., Kim-Sing, C., Ainsworth, P., Sun, P., Narod. S. A. (2005). Breast cancer risk following bilateral oophorectomy in BRCA1 and BRCA2 mutation carriers: An international case-control study. *Journal of Clinical Oncology*, 23, 7491-7496. doi: 10.1200/JCO.2004.00.7138

Ekelund, U. (2005). Criterion - related validity of the 7 day, short form of the international physical activity questionnaire. *Public Health Nutrition*, 19(7), 1-9.

Evans, G. D., Shenton, A., Woodward, E., Lalloo, F., Howell, A., Maher. E. R. (2008). Penetrance estimates for BRCA1 and BRCA2 based on genetic testing in a clinical cancer genetics service setting: Risks of breast/ovarian cancer quoted should reflect the cancer burden in the family. *BMC Cancer*, 8(1),155.

Ford, D., Easton, D. F., Stratton, M., Narod, S., Goldgar, D., Devilee, P., Bishop, D. T., Weber, B., Lenoir, G., Chang-Claude, J., Sobol, H., Teare, M. D., Struewing, J., Arason, A., Scherneck, S., Peto, J., Rebbeck, T. R., Tonin, P., Neuhausen, S., Barkardottir, R., Eyfjörd, J., Lynch, H., Ponder, B. A. J., Gayther, S. A., Birch, J. M., Lindblom, A., Stoppa-Lyonnet, D., Bignon, Y., Borg, Å., Hamann, U., Haites, N., Scott, R. J., Maugard, C. M., Vasen, H., Seitz, S., Cannon-Albright, L. A., Schofield, A., Zelada-Hedman, M., and the Breast Cancer Linkage Consortium. (1998). Genetic heterogeneity and penetrance analysis of the BRCA1 and BRCA2 genes in breast cancer families. *American Journal of Human Genetics*, 62, 676-689.

Foulkes, W. D., Goffin, J., Brunet, J. S., Bégin, L. R., Wong, N., Chappuis, P. O. (2002). Tamoxifen may be an effective adjuvant treatment for BRCA1-related breast cancer irrespective of estrogen receptor status. *Journal of the National Cancer Institute*, 94, 1504-1506. Retrieved from <http://jnci.oxfordjournals.org>

Grabrick, D. M., Hartmann, L. C., Cerhan, J. R., Vierkant, R. A., Therneau, T. M., Vachon, C. M., Olson, J. E., Couch, F. J., Anderson, K. E., Pankratz, V. S., Sellers, T. A. (2000). Risk of breast cancer with oral contraceptive use in women with a family history of breast cancer. *Journal of the American Medical Association*, 284, 1791-1798.

- Hall, J. M., Lee, M. K., Newman, B., Morrow, J. E., Anderson, L. A., Huey, B., King, M. C. (1990). Linkage of early onset familial breast cancer to chromosome 17q21. *Science*, 250, 1684-1689. Retrieved from <http://proquest.umi.com>
- Harrison, J. A., Mullen, P. D., & Green, L. W. (1992). A meta-analysis of studies of the Health Belief Model with adults. *Health Education Research*, 7, 107-116.
- Harvie, M., Hooper, L., Howell, A. H. (2003). Central obesity and breast cancer risk: a systematic review. *Obesity Review*, 4, 157-73.
- Harvie, M., Howell, A., Vierkant, R. A., Kumar, N., Cerhan, J. R., Kelemen, L. E., Folsom, A. R., Sellers, T. A. (2005). Association of gain and loss of weight before and after menopause with risk of postmenopausal breast cancer in the Iowa women's health study. *Cancer Epidemiology Biomarkers & Prevention*, 14, 656-61.
- Hingson, R. W., Strunin, L., Berlin, B. M., Heeren, T. (1990). Beliefs about AIDS, use of alcohol and drugs, and unprotected sex among Massachusetts adolescents. *American Journal of Public Health*, 80, 295-299. Retrieved from <http://www.ajph.org/cgi/reprint/80/3/295>

Janz, N. K., Becker, M. H. (1984). The Health Belief Model: A Decade Later. *Health Education & Behavior*, *11*, 1-47. doi: 10.1177/109019818401100101

Jernström, H., Lerman, C., Ghadirian, P., Lynch, H. T., Weber, B., Garber, J., Daly, M., Olopade, O. I., Foulkes, W. D., Warner, E., Brunet, J. S., Narod, S. A. (1999). Pregnancy and risk of early breast cancer in carriers of BRCA1 and BRCA2. *The Lancet*, *354*, 1846–1850. Retrieved from <http://proquest.umi.com>

Jernström, H., Lubinski, J., Lynch, H. T., Ghadirian, P., Neuhausen, S., Isaacs, C., Weber, B. L., Horsman, D., Rosen, B., Foulkes, W. D., Friedman, E., Gershoni-Baruch, R., Ainsworth, P., Daly, M., Garber, J., Olsson, H., Sun, P., Narod, S. A. (2004). Breast-feeding and the risk of breast cancer in BRCA1 and BRCA2 carriers. *Journal of the National Cancer Institute*, *96*, 1094-1098. doi: 10.1093/jnci/djh211

Johannson, O., Loman, N., Borg, A., Olsson, H. (1998). Pregnancy-associated breast cancer in BRCA1 and BRCA2 germline mutation carriers. *The Lancet*, *352*, 1359–1360. Retrieved from <http://proquest.umi.com>

Kauff, N. D., Satagopan, J. M., Robson, M. E., Scheuer, L., Hensley, M., Hudis, C. A., Ellis, N. A., Boyd, J., Borgen, P. I., Barakat, R. R., Norton, L., Castiel, M., Nafa, K., Offit, K. (2002). Risk-reducing salpingo-oophorectomy in women with a BRCA1 or BRCA2 mutation. *New England Journal of Medicine*, 346, 1609-1615. Retrieved from <http://proquest.umi.com>

Keesling, B., Friedman, H. S. (1987). Psychosocial factors in sunbathing and sunscreen use. *Health Psychology*, 6, 477-493.

Key, T. J., Schatzkin, A., Willett, W. C., Allen, N.E., Spencer, E. A., Travis, R. C. (2004). Diet, nutrition and the prevention of cancer. *Public Health Nutrition*, 7(1A), 187- 200. doi: 10.1079/PHN2003588

King, M. C., Marks, J. H., Mandell, J. B. (2003). Breast and ovarian cancer risks due to inherited mutations in BRCA1 and BRCA2. *Science*, 302, 643–646.

King, M. C., & The New York Breast Cancer Study Group. (2004). Re: Breast cancer risks for BRCA1/2 carriers. *Science*, 306, 2188 – 2191.

King, M. C., Wieand, S., Hale, K., Lee, M., Walsh, T., Owens, K., Tait, J., Ford, L., Dunn, B. K., Costantino, J., Wickerham, L., Wolmark, N., Fisher, B. (2001). Tamoxifen and breast cancer incidence among women with inherited mutations in BRCA1 and BRCA2: National surgical adjuvant breast and bowel project (NSABP-P1) Breast Cancer Prevention Trial. *Journal of American Medical Association*, 286, 2251-2256.

Kotsopoulos, J., & Narod, S. A. (2005). Towards a dietary prevention of hereditary breast cancer. *Cancer Causes Control*, 16, 125-138.

Kotsopoulos, J., Olopade, O. I., Ghadirian, P., Lubinski, J., Lynch, H. T., Isaacs, C., Weber, B., Kim-Sing, C., Ainsworth, P., Foulkes, W. D., Eisen, A., Sun, P., Narod, S. A. (2005). Changes in body weight and the risk of breast cancer in BRCA1 and BRCA2 mutation carriers. *Breast Cancer Research*, 7, R833-R843.

Kowalska, E., Narod, S. A., Huzarski, T., Zajaczek, S., Huzarska, J., Gorski, B., Lubinski, J. (2005). Increased rates of chromosome breakage in BRCA1 carriers are normalized by oral selenium supplementation. *Cancer Epidemiology Biomarkers & Prevention*, 14, 1302-1306.

- Kram, V., Peretz, T., Sagi, M. (2006). Acceptance of preventive surgeries by Israeli women who had undergone BRCA testing. *Familial Cancer, 5*, 327-335. doi: 10.1007/s10689-006-0002-z
- Krueger, R. A. (1994). *Focus Groups: A Practical Guide for Applied Research*, Thousand Oaks, CA: Sage Publications.
- Lagerros, Y. T., Hsieh, S. F., Hsieh, C. C. (2004). Physical activity in adolescence and young adulthood and breast cancer risk: a quantitative review. *European Journal of Cancer Prevalence, 13*, 5.12.
- Lemon, S. C., Zapka, J. G., Clemow, L. (2004). Health behavior change among women with recent familial diagnosis of breast cancer. *Preventative Medicine, 39*, 253-262. doi: 10.1016/j.ypmed.2004.03.039
- Madlensky, L., Flatt, S. W., Bardwell, W. A., Rock, C. L., Pierce, J. P., for the WHEL Study Group. (2005). Is family history related to preventive health behaviors and medical management in breast cancer patients? *Breast Cancer Research and Treatment, 90*, 47-54. doi: 10.1007/s10549-004-2626-8
- Madlensky, L., Vierkant, R. A., Vachon, C. M., Pankratz, V. S., Cerhan, J. R., Vadaparampil, S. T., Sellers, T. A. (2005). Preventive Health Behaviors and Familial Breast Cancer. *Cancer Epidemiology Biomarkers & Prevention, 14*(10), 2340-2345.

Mann, G. J., Thorne, H., Balleine, R. L., Butow, P. N., Clarke, C. L., Edkins, E., Evans, G. M., Fereday, S., Haan, E., Gattas, M., Giles, G. G., Goldblatt, J., Hopper, J. L., Kirk, J., Leary, J. A., Lindeman, G., Niedermayr, E., Phillips, K. A., Picken, S., Pupo, G. M., Saunders, C., Scott, C. L., Spurdle, A. B., Suthers, G., Tucker, K., Chenevix-Trench, G., and The Kathleen Cuningham Consortium for Research in Familial Breast Cancer. (2006). Analysis of cancer risk and BRCA1 and BRCA2 mutation prevalence in the kConFab familial breast cancer resource. *Breast Cancer Research*, 8(1), R12. doi: 10.1186/bcr1377

Maskarinec, G., Murphy, S., Shumay, D. M., Kakai, H. (2001). Dietary changes among cancer survivors. *European Journal of Cancer Care*, 10, 12-20. Retrieved from <http://web.ebscohost.com>

Mays, N., & Pope, C. (1995). Qualitative research: rigour and qualitative research. *British Medical Journal*, 311, 109-112. Retrieved from <http://www.bmj.com>

McClenahan, C., Shevlin, M., Adamson, G., Bennett, C., O'Neill, B. (2007). Testicular self-examination: A test of the health belief model and the theory of planned behaviour. *Health Education Research*, 22(2), 272-284. doi: 10.1093/her/cy1076

Metcalfé, K. A., Ghadirian, P., Rosen, B., Foulkes, W., Kim-Sing, C., Eisen, A., Ainsworth, P., Horsman, D., Maugard, C., Provencher, D., Robideaux, A., Gilchrist, D., Chudley, A., Lemire, E. G., Armel, S., Finch, A., Sun, P., Narod, S. A. (2007). Variation in rates of uptake of preventive options by Canadian women carrying the BRCA1 or BRCA2 genetic mutation. *Open Medicine, 1*, E92-E98. Retrieved from <http://www.openmedicine.ca/article/view/12/50>

Miki, Y., Swensen, J., Shattuck-Eidens, D., Futreal, P. A., Harshman, K., Tavtigian, S., Liu, Q., Cochran, C., Bennet, L. M., Ding, W., Bell, R., Rosenthal, J., Hussey, C., Tran, T., McClure, M., Frye, C., Hattier, T., Phelps, R., Haugen-Strano, A., Katcher, H., Yakumo, K., Gholami, Z., Shaffer, D., Sone, S., Bayer, S., Wray, C., Bogden, R., Dayananth, P., Ward, J., Tonin, P., Narod, S., Bristow, P. K., Norris, F. H., Helvering, L., Morrison, P., Rosteck, P., Lai, M., Barrett, J. C., Lewis, C., Neuhausen, S., Cannon-Albright, L., Goldgar, D., Wiseman, R., Kamb, A., Skolnick, M. H. (1994). A strong candidate for the breast and ovarian cancer susceptibility gene BRCA1. *Science, 266*, 66–71.

Narod, S. A., Brunet, J. S., Ghadirian, P., Robson, M., Heimdal, K., Neuhausen, S. L., Stoppa-Lyonnet, D., Lerman, C., Pasini, B., De Los Rios, P., Weber, B., Lynch, H. (2000). Tamoxifen and risk of contralateral breast cancer in BRCA1 and BRCA2 carriers: A case-control study. *The Lancet, 356*, 1876–1881. Retrieved from <http://proquest.umi.com>

Narod, S. A., Goldgar, D., Canon-Albright, L., Weber, B., Moslehi, R., Ives, E., Lenoir, G. (1995). Risk modifiers in carriers of BRCA1 mutations. *International Journal of Cancer*, 65, 394-398.

Narod, S., Lynch, H., Conway, T., Watson, P., Feunteun, J., Lenoir, G. (1993). Increasing incidence of breast cancer in family with BRCA1 mutation. *The Lancet*, 341, 1101–1102.

Nejad, L. M., Wertheim, E. H., Greenwood, K. M. (2005). Comparison of the Health Belief Model and the Theory of Planned Behavior in the prediction of dieting and fasting behavior. *E-Journal of Applied Psychology*, 1(1), 63-74.

Retrieved from <http://ojs.lib.swin.edu.au/index.php/ejap/article/view/7/16>

Nkondjock, A., Robidoux, A., Paredes, Y., Narod, S. A., Ghadirian, P. (2006). Diet, lifestyle and BRCA-related breast cancer risk among French-Canadians. *Breast Cancer Research and Treatment*, 98, 285-294.

Peto, J., Mack, T. M. (2000). High constant incidence in twins and other relatives of women with breast cancer. *Nature Genetics*, 26, 411-414.

Pinto, B. M., Maruyama, N. C., Clark, M. M., Cruess, D. G., Park, E., Roberts, M. (2002). Motivation to modify lifestyle risk behaviors in women treated for breast cancer. *Mayo Clinic Proceedings*, 77, 122-129. Retrieved from <http://www.mayoclinicproceedings.com/content/77/2/122.full.pdf>

Pope, C., & Mays, N. (2000). Qualitative Research in Health Care: Assessing quality in qualitative research. *British Medical Journal*, 320, 50-52. Retrieved from <http://www.bmj.com>

Quach, J., Porter, K., Leventhal, H., Kelly, K. M. (2009). Health behaviors among Ashkenazi Jewish individuals receiving counselling for BRCA1 and BRCA2 mutations. *Familial Cancer*, 8(3), 241-250. doi: 10.1007/s10689-009-9235-y

Rabiee, F. (2004). Focus-group interview and data analysis. *Proceedings of the Nutrition Society*, 63, 655-660.

Rabin, C., & Pinto, B. (2006). Cancer-related beliefs and health behavior change among cancer survivors and their first-degree relatives. *Psycho-Oncology*, 15(8), 701-712.

Rebbeck, T. R., Kantoff, P. W., Krithivas, K., Neuhausen, S., Blackwood, M. A., Godwin, A. K., Daly, M. B., Narod, S. A., Garber, E., Lynch, H. T., Weber, B. L., Brown, M. (1999a). Modification of BRCA1-associated breast cancer risk by the polymorphic androgen-receptor CAG repeat. *American Journal of Human Genetics*, *64*, 1371–1377. Retrieved from <http://www.sciencedirect.com>

Rebbeck, T. R., Levin, A. M., Eisen, A., Snyder, C., Watson, P., Cannon-Albright, L., Isaacs, C., Olopade, O., Garber, J. E., Godwin, A. K., Daly, M. B., Narod, S. A., Neuhausen, S. L., Lynch, H. T., Weber, B. L. (1999b). Breast cancer risk after bilateral prophylactic oophorectomy in BRCA1 mutation carriers. *Journal of the National Cancer Institute*, *91*, 1475-1479.

Ritchie, J., & Lewis, J. (2003). *Qualitative Research Practice: A Guide for Social Science Students and Researchers*. London: Sage Publications Ltd.

Rosenstock, I. M., Strecher, V. J., Becker, M. H. (1988). Social Learning Theory and the Health Belief Model. *Health Education & Behavior*, *15*, 175-183.

Runnebaum, I. B., Wang-Gohrke, S., Vesprini, D., Kreienberg, R., Lynch, H., Moslehi, R., Ghadirian, P., Weber, B., Godwin, A. K., Risch, H., Garber, J., Lerman, C., Olopade, O. I., Foulkes, W. D., Karlan, B., Warner, E., Rosen, B., Rebbeck, T., Tonin, P., Dube, M. P., Kieback, D. G., Narod, S. A. (2001). Progesterone receptor variant increases ovarian cancer risk in BRCA1 and BRCA2 mutation carriers who were never exposed to oral contraceptives. *Pharmacogenetics*, *11*, 635–638.

Salminen, E. K., Lagström, H. K., Heikkilä, S., Salminen, S. (2000). Does breast cancer change patients' dietary habits? *European Journal of Clinical Nutrition*, *54*, 844-848. Retrieved from <http://proquest.umi.com>

Silvera, S. A., Jain, M., Howe, G. R., Miller, A. B., Rohan, T.E. (2006). Energy balance and breast cancer risk: a prospective cohort study. *Breast Cancer Research and Treatment*, *97*, 97-106. doi: 10.1007/s10549-005-9098-3

Silverman, D. (2005). *Doing Qualitative Research* (2nd ed.). London: Sage Publications Ltd.

Spector, D. (2007). Lifestyle behaviors in women with a BRCA1 or BRCA2 genetic mutation: An exploratory study guided by concepts derived from the Health Belief Model. *Cancer Nursing*, *30*, E1-E10.

- Spector, D., Mishel, M., Skinner, C. S., DeRoo, L. A., VanRiper, M., Sandler, D. P. (2009). Breast cancer risk perception and lifestyle behaviors among white and black women with a family history of the disease. *Cancer Nursing, 32*, 299-308.
- Spiegel, T. N., Hill, K. A., Warner, E. (2009). The Attitudes of Women with BRCA1 and BRCA2 Mutations toward Clinical Breast Examinations and Breast Self-Examinations. *Journal of Women's Health, 18*(7), 1019-1024.
- Thune, I., and Furberg, A. S. (2001). Physical activity and cancer risk: dose-response and cancer, all sites and site-specific. *Medicine and Science in Sports and Exercise, 33* (suppl. 6), S530-S550.
- Tryggvadottir, L., Sigvaldason, H., Olafsdottir, G. H., Jonasson, J. G., Jonsson, T., Tulinius, H., Eyfjord, J. E. (2006). Population-based study of changing breast cancer risk in Icelandic BRCA2 mutation carriers, 1920-2000. *Journal of the National Cancer Institute, 98*, 116-122.
- Turner, A. P., Kivlahan, D. R., Sloan, A. P., Haselkorn, J. K. (2007). Predicting ongoing adherence to disease modifying therapies in multiple sclerosis: Utility of the Health Beliefs Model. *Multiple Sclerosis, 13*, 1146-1152. doi: 10.1177/1352458507078911

Tyrer, J., Duffy, S. W., Cuzick, J. (2004). A breast cancer prediction model incorporating familial and personal risk factors. *Stat Med*, 23(7), 1111-1130.

Ursin, G., Henderson, B. E., Haile, R. W., Pike, M. C., Zhou, N., Diep, A., Bernstein, L. (1997). Does oral contraceptive use increase the risk of breast cancer in women with BRCA1/BRCA2 mutations more than in other women? *Cancer Research*, 57, 3678–3681.

Wagner, T. M. U., Möslinger, R., Langbauer, G., Ahner, R., The Austrian Hereditary Breast and Ovarian Cancer Group, Fleischmann, E., Auterith, A., Friedmann, A., Helbich, T., Zielinski, C., Pittermann, E., Seifert, M., Oefner, P. (2000). Attitude towards prophylactic surgery and effects of genetic counselling in families with BRCA mutations. *British Journal of Cancer*, 82, 1249–1253. doi: 10.1054/bjoc.1999.1086

Willett, W. C. (1994). Diet and health: What should we eat? *Science*, 264, 532-537. Retrieved from <http://proquest.umi.com>

Wooster, R., Bignell, G., Lancaster, J., Swift, S., Seal, S., Mangion, J., Collins, N., Gregory, S., Gumbs, C., Micklem, G., Barfoot, R., Hamoudi, R., Patel, S., Rice, C., Biggs, P., Hashim, Y., Smith, A., Connor, F., Arason, A., Gudmundsson, J., Ficenec, D., Kelsell, D., Ford, D., Tonin, P., Bishop, D. T., Spurr, N. K., Ponder, B. A. J., Eeles, R., Peto, J., Devilee, P., Cornelisse, C. J., Lynch, H., Narod, S., Lenoir, G. M., Eglisson, V., Barkadottir, R. B., Easton, D. F., Bentley, D. R., Futreal, P. A., Ashworth, A., Stratton, M. R. (1995). Identification of the breast cancer susceptibility gene BRCA2. *Nature*, 378, 789–762. Retrieved from <http://proquest.umi.com>

Wooster, R., Neuhausen, S. L., Mangion, J., Quirk, Y., Ford, D., Collins, N., Nguyen, K., Seal, S., Tran, T., Averill, D., Fields, P., Marshall, G., Narod, S., Lenoir, G. M., Lynch, H., Feunteun, J., Devilee, P., Cornelisse, C. J., Menko, F. H., Daly, P. A., Orniston, W., McManus, R., Pye, C., Lewis, C. M., Cannon-Albright, L. A., Peto, J., Ponder, B. A. J., Skolnick, M. H., Easton, D. F., Goldgar, D. E., Stratton, M. R. (1994). Localization of a breast cancer susceptibility gene, BRCA2, to chromosome 13q12–13. *Science*, 265, 2088–2090. Retrieved from <http://proquest.umi.com>